



**Advanta Analytical Laboratories**

10935 CR 159 Tyler, TX 75703  
Phone: (903) 805-9955 Fax: (903) 839-2494  
www.aalabs.com

CLIA: 45D2063134

CAP: 8863194

Laboratory Director: Mary Long, Ph.D., NRCC

**Patient:** Race Bannon  
**DOB:** 02-05-1960  
**Gender:** Male

**Accession:** 758002  
**Specimen:** Other - Specified  
in Comments Section  
**Provider:** Doe, John

**Client:** Demo Account  
**Collected Date:** 02-01-2022  
**Report Date:** 02-01-2022

## Sexually Transmitted Infections (STI) FINAL RESULT

Pathogen(s) Tested	Class	Result
<b>Chlamydia trachomatis</b>	<b>Organism</b>	<b>POSITIVE</b>
Gardnerella vaginalis	Organism	NEGATIVE
Herpes simplex viruses 1 and 2	Organism	NEGATIVE
<b>Mycoplasma genitalium</b>	<b>Organism</b>	<b>POSITIVE</b>
<b>Neisseria gonorrhoeae</b>	<b>Organism</b>	<b>POSITIVE</b>
Trichomonas vaginalis	Organism	NEGATIVE
Ureaplasma urealyticum/parvum	Organism	NEGATIVE

### THE HUMAN ADVANTAGE

IN LABORATORY TESTING