



Advanta Analytical Laboratories
10935 CR 159
Tyler, TX 75703
Phone: (903) 805-9955
Fax: (903) 839-2494
CLIA: 45D2063134
Laboratory Director: Mary Long, Ph.D., NRCC
www.aalabs.com



Patient: Race Bannon
DOB: 02-05-1960
Gender: Male
Accession: 764457
Specimen: Nasopharyngeal Swab

PCR - COVID-19 Test FINAL

Referring Physician: Doe, John
Client: Demo Account
Collection Date: 02-25-2022
Received Date: 02-25-2022
Report Date: 02-25-2022

Organism(s) Tested	Result	Flag
SARS-CoV2 coronavirus (COVID-19)	NEGATIVE	NORMAL

SARS-CoV2 (COVID19) Definition of Terms

POSITIVE	Viral RNA detected from both N1 and N2 genes tested for COVID-19	CRITICAL	Seek medical attention immediately
NEGATIVE	Viral RNA NOT detected for COVID-19	NORMAL	Consider testing for other respiratory viruses if clinically indicated
INCONCLUSIVE	Considered a "Presumed Positive". Viral RNA detected from one (1) of the two (2) genes (N1, N2) tested for COVID-19. Consider re-evaluated for worsening symptoms of COVID-19.	ABNORMAL	Recollect sample if clinically indicated
INVALID	Internal control failure for repeat runs with the given sample	RUN FAILURE	Recollect sample if clinically indicated

SARS-CoV2 (COVID19) DOCUMENTS

- [Fact Sheet for Healthcare Providers](#) This Fact Sheet informs you of the significant known and potential risks and benefits of the emergency use of the Centers for Disease Control and Prevention (CDC) 2019-nCoV Real-Time RT-PCR Diagnostic Panel.
- [Fact Sheet for Patients](#) This Fact Sheet contains information to help you understand the risks and benefits of using this test for the diagnosis of COVID-19.

Laboratory Notice

This nucleic acid amplification test was developed, and its performance characteristics determined by Advanta Analytical Laboratories, LLC. Nucleic acid amplification tests include PCR. This test is a lab developed test and has not been cleared or approved by the FDA. This laboratory is regulated under CLIA as qualified to perform high complexity testing and accredited by the College of American Pathologists (CAP). These tests are used for clinical purposes. They should not be regarded as investigational or for research purposes.